## Abstract Submitted to the International Conference on Strongly Correlated Electron Systems University of Michigan, Ann Arbor August 6-10, 2001

## Anisotropic magnetic properties of $ErRu_2Si_2$ as a consequence of the local symmetry

R. Michalski<sup>1</sup>, Z. Ropka<sup>2</sup>, R.J. Radwanski<sup>1</sup>

- <sup>1</sup> Inst. of Physics, Pedagogical University, 30-084 Krakow Center for Solid State Physics, S<sup>nt</sup> Filip 5, 31-150 Krakow
- <sup>2</sup> Center for Solid State Physics, S<sup>nt</sup> Filip 5, 31-150 Krakow

ErRu<sub>2</sub>Si<sub>2</sub> exhibits layered antiferromagnetic order below  $T_N$ =6K and shows large magnetocrystalline anisotropy with the easy axis [110]. The magnetization at 7T, applied along this axis, reaches 8.58  $\mu_B$ /f.u. whereas along the tetragonal axis only 0.5  $\mu_B$ /f.u. Moreover, ErRu<sub>2</sub>Si<sub>2</sub> exhibits the substantial in-plane anisotropy. We have attributed the magnetism of ErRu<sub>2</sub>Si<sub>2</sub> to the Er ions. Performed calculations of the fine electronic structure of the Er<sup>3+</sup> ions taking into account crystal-field (CEF) and inter-site spin-dependent exchange interactions reproduce well the zero-temperature moment, temperature dependence of the magnetic susceptibility, single-crystalline anisotropic magnetization curves and the overall specific heat with the sharp  $\lambda$ -type peak at  $T_N$ .

The obtained CEF interactions in  $ErRu_2Si_2$  are in good agreement with those obtained for  $PrRu_2Si_2$  indicating the single-ion origin of the giant anisotropic propeties of this family of intermetallic compounds.